

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
MPY/O-4608	460		31	TW	O	80	SA	0	25E	
								<b>TOT-0</b>		
MPY/O-4606	460			TW	O	60	SA	30	24D	
	460		31	TW	Deep Orange	60	SA	3	24D	
	460			PW	Y	62	SA	24		
								<b>TOT-57</b>		
MPY/O-4605	457		31	TW	O	50	SA	27	24C	
								<b>TOT-27</b>		
MPY/O-4604	470			TW	Y	40	SW	32,75,74,74,65	24B	
	465		M	TW	Y	42	SW	2,42	24B	
	460	LE	31(S)	TW	O	40	SW	APPROX 30	24B	
	460		31	TW	O	42	SA	36	24B	
								<b>TOT-430</b>		
MPY/O-4208	420		34(M)	TW	Y	80	SW	5,12	24E	
	420		34(M)	TW	Y	80	SW	35,35,35,36	24E	
	420			TW	Y	80	SW	10	24E	
	420			TW	Y	80	SA	10	24E	
	420		34(M)	TW	Y	80	SW	27	24E	
	420	LE	34	TW	Y	80	SA	5	24E	
	420		T	TW	O	82	SW	10	24E	
	420	LE	31	TW	O	90	SA	18	24E	
	420		31	PW	Y	84	SW	26	24E	
	420	LE	34	TW	Y	84	SW	3	24E	
	420	LE	34	TW	Y	82	SW	27,39,45	24E	
								<b>TOT-378</b>		
MPY/O-4206	420			TW	O	60	MONC	15	24DD	
	420			TW	O	60	SW	78	24W	
	420				Y	60	JAP	2	24DD	
	420	LE	31	PW	Y	62	SW	11	24DD	
	420				Y	62	SW	55	24DD	
	420	LE	34	TW	Y	62	SW	3	24DD	
	420	T		TW	O	62	SW	9	24DD	
								<b>TOT-173</b>		
MPY/O-4205	420		33	TW	Y	50	LANO	32,32	24CC	
	420		33	TW	Y	50	LANO	32,37,36,32	24CC	
	420		33	TW	Y	50	LANO	37,37,32,36	24CC	
	420		33	TW	Y	50	LANO	36,32	24CC	
	420	LE	31	PW	O	50	ITA	6,3	24CC	
	420			TW	O	50	ITA	41,24	24CC	
	420			TW	Y	50	ITA	36,23	24CC	
	420		M		Y	50	SW	37,12	24CC	
	420				O	52	SA	16,21	24CC	
								<b>TOT-630</b>		
MPY/O-4204	420		33	TW	Y	45	LANO	36,36	24BB	
	420			TW	Y	42	LANO	12	24BB	
	420	LE	34	TW	Y	48	SA	4	24BB	
	420		34	TW	O	40	SA	10	24BB	
	420			TW	Y	42	SW	23,69,79,74,	24BB	
	420			TW	Y	42	SW	63	24BB	
	420			TW	Y	40	SW	3	24BB	
	420		T	TW	O	40	SW	12	24BB	PECAP
	420			TW	O	42		9,16	24BB	
								<b>TOT-446</b>		

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
MPY/O-3908	390		T	TW	O	80	SW	15	23E	
	390	LE	34	PW	O	94	SA	3,1	23E	
	390	LE	34	PW	O	88	SA	1,1	23E	
	390	LE	31	PW	O	88	SA	2	23E	
	390		34	TW	O	95	SA	12	23E	
	390		34	TW	O	90	SA	2	23E	
	380		34(M)	PW	A	80	SA	6	23E	
	390		34	PW	O	80		17	23E	
	380		34	PW	Y	82	SW	2,39,58	23E	
	380		34	TW	Y	93	SA	4	23E	
380				Y	98	SA	10	23E		
380			TW	Y	92	SA	8	23E		
								<b>TOT-181</b>		
MPY/O-3906	380	LE	31	PW	O	60	SA	1	23D	
	380			PW	Y	60	SA	7,	23D	
								<b>TOT-8</b>		
MPY/O-3905	380			PW	O	55	SA	0	23C	
								<b>TOT-0</b>		
MPY/O-3904	390	LE	M	TW	Y	42	SW	66,313,128	23B	
	390		MM		Y	42	SW	2	23B	
	390		T	TW	O	40	SW	35	23B	
	390		34	TW	O	42	SW	35,33,33	23B	
	390	LE	34	TW	O	45	SA	25,30	23A&B	
	380	LE	34	TW	O	46	SA	78	23A	
	390				O	40	SA	24,4	23A&B	
	390				O	42	SA	16	23B	
	390				Y	40		1	23A	
	390		34	PW	O	42	SA	14	23A	
	390	LE	34	TW	O	40	SA	1	23A	
								<b>TOT-542</b>		
MPY/O-3558	355	LE	34	PW	Y	80	SW	1	23F	
	355				O	80	APAN	5	23F	
	355			PW	Y	100	SA	0	23F	
	355				Y	80		16 (1-3 YD PCS)	22F	
								<b>TOT-6</b>		
MPY/O-3556	355		T	TW	O	60	DYNA	10	23DD	
	350	LE	30S	PW	Y	61	U JAP	2	23DD	
	355	LE	34	PW	Y	60	SA	4	23DD	
	355		34	PW	Y	62	SW	4	23DD	
								<b>TOT-20</b>		
MPY/O-3555	355		34	PW	Y	53	NY	0	23CC	
								<b>TOT-0</b>		
MPY/O-3554	350			TW	A	44		7	23AA	
	355		T	TW	O	42	SW	9	23BB	
								<b>TOT-16</b>		
MPY/O-3308	330		35	TW	O	80	SA	37	22E	
	330			PW	Y	80		8	22E	
	330	LE	34	TW	O	80	SA	5	22E	
	330		34	TW	Y	81	SA	22	22E	
	330		34	TW	Y	84	SA	73	22E	
	330		34	TW	Y	80	SA	75	22E	
330				Y	83	SW	6	22E		
								<b>TOT-226</b>		

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
MPY/O-3306	330	LE	34	PW	Y	60	SA	6	22D	
	330				Y	60	JAP	5,15	22D	
								<b>TOT-26</b>		
MPY/O-3305	330			TW	O	52	ITAL	0	22C	
								<b>TOT-0</b>		
MPY/O-3304	330		T	TW	A	42	APAN	3	22B	
	330			PW	Y	40		1	22B	
	330	ES	34	TW	O	42	SA	36	22B	SPECIALY SELECTED
								<b>TOT-40</b>		
MPY/O-3058	305		40	PW	Y	80	SA	0	22EE	
								<b>TOT-0</b>		
MPY/O-3056	305		34	PW	O	64	SA	0	22DD	
								<b>TOT-0</b>		
MPY/O-3055	305							0	22CC	
								<b>TOT-0</b>		
MPY/O-3054	305			TW	O	42	ITAL	0	22BB	
								<b>TOT-0</b>		
MPY/O-2858	280				RUBYESTER	104	SA	6	21E	
								<b>TOT-6</b>		
MPY/O-2856	270				O	60	SW	0	21D	
								<b>TOT-0</b>		
MPY/O-2855	280	LE	34	PW	Y	53	SW	0	21C	
								<b>TOT-0</b>		
MPY/O-2854	285	LE	34	PW	O	40	SA	12	21B	
	285			PW	O	40	SA	24,7,6	21B	
	280		HD	PW	O	40	SW	24	21B	
	285				A	40		7	21B	
	280		40	PW	Deep Orange	42	SA	23	21B	
	280		34	PW		O	45	ENCH	16,32	21B
	280		34	PW		O	43	ENCH	111	21B
									<b>TOT-262</b>	
MPY/O-2628	260				Y	94		19,4	21EE	
								<b>TOT-23</b>		
MPY/O-2626	255	LE	40	PW	Y	62	SW	57	21DD	
	262		M		Y	62	SW	29	21DD	
	255	LE		PW	Y	62	SW	22	21DD	
	255	LE	48	TW	Y	62	SW	15,39	24V	
	255	LE	40	PW	Y	62	SW	31,59,31	21F	
	255				BR	60	SA	8	21DD	
								<b>TOT-281</b>		
MPY/O-2625	262				O	51		2	21CC	
								<b>TOT-2</b>		
MPY/O-2624	255				O	42	ITAL	8	21BB	
								<b>TOT-8</b>		
MPY/O-2458						80		0	20E	
								<b>TOT-0</b>		

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
MPY/O-2456	245			PW	Y	62	JAP	0	20D	
								<b>TOT-0</b>		
MPY/O-2455	245							0	20C	
								<b>TOT-0</b>		
MPY/O-2328	230	T			O	82	SW	0	20EE	
								<b>TOT-0</b>		
MPY/O-2326	230		40	PW	O	62	ITAL	0	20DD	
								<b>TOT-0</b>		
MPY/O-2325								0	20CC	
								<b>TOT-0</b>		
MPY/O-2324								0	20BB	T225H
								<b>TOT-0</b>		
MPY/O-2008	195		T		O	82	SW	0	19E	
								<b>TOT-0</b>		
MPY/O-2006	196		55	PW	Y	64	SA	0	19D	
								<b>TOT-0</b>		
MPY/O-2005	200			PW	Y	55	NBC	0	19C	
								<b>TOT-0</b>		
MPY/O-2004								0	19B	
								<b>TOT-0</b>		
MPY/O-1808	178			PW	O	80	ITAL	0	19EE	
								<b>TOT-0</b>		
MPY/O1806	180		64	TW	O	60	SA	61,17	19DD	BVGFC
	180		64	TW	O	60	SA	82,67,3,6	14D	
	180			TW	O	60		13,54,69,91,	14D	
	180			TW	O	60		54	14DD	
								<b>TOT-517</b>		
MPY/O-1805	175		T	PW	Y	52	SW	,58,69,35,16	19CC	
	175		T	PW	Y	52	SW	57,58,28,38	19CC	
	175		T	PW	Y	52	SW	28,33,33	19CC	
	175		T	PW	Y	52	SW	46,58	19CC	
	180			PW	O	51	ITAL	26	19CC	
	180			PW	O	50		8	19CC	
	180		64	TW	O	50	SA	54	19CC	
	175		T	PW	Y	52	SW	60,65,31,32,50	17F	
	175		T	PW	Y	52	SW	62,31,8,38,65	17F	
	175		T	PW	Y	52	SW	30,65,38,58	17F	
	175		T	PW	Y	52	SW	35,30,64,51,31	16F	
	175		T	PW	Y	52	SW	30,30,62,38,30	16F	
	175		T	PW	Y	52	SW	37,58,30,63,38	16F	
	175		T	PW	Y	52	SW	59,31,65,38,62	16F	
	175		T	PW	Y	52	SW	37,51,38,38,37	16F	
	175		T	PW	Y	52	SW	31,38,38,38,	16F	
	175		T	PW	Y	52	SW	31,35,64,60	19F	
	175		T	PW	Y	52	SW	30,30,64,68,63,	19F	
	175		T	PW	Y	52	SW	60,31,65,34,	19F	
	175		T	PW	Y	52	SW	65,57,30,30,36,	19F	
	175		T	PW	Y	52	SW	63,30,65,20	19F	
	175		T	PW	Y	52	SW	33,47,33,30	19F	

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
	175		T	PW	Y	52	SW	63,61,57	19F	
	180				Y	54		5	19F	
								<b>TOT-3,864</b>		
MPY/O-1804	180	LE		PW	O	45	SA	5	19BB	
	180		45	PW	O	42	ELLIF	7,33,	19BB	
	180		45	PW	O	42	ELLIF	33,33,33,40,29	19BB	
	180			PW	A	44	NIALS	25	19BB	
	180		55	PW	O	40	SA	54	19BB	
	180		64	TW	O	48	SA	68,69,92	19BB	
	178				O	42	ITAL	50,51,54,48,54,	18A	
	178				O	42	ITAL	49,54,54,50,50,	18A	
MPY/O-1804	178				O	42	ITAL	50,49,49,53,54,	18A	
	178				O	42	ITAL	57,54,51,50	18A	
	178				O	42	ITAL	52,54,46,48,56,	18AA	
	178				O	42	ITAL	54,52,54,53,49,	18AA	
MPY/O-1804	178				O	42	ITAL	44,51,50,52,51,	18AA	
	178				O	42	ITAL	49,51,51	18AA	
	178				O	42	ITAL	47,56,49,28,49,	17A	
	178				O	42	ITAL	56,49,50	17A	
	175		T	PW	O	40	SW	167,196	17A	
	180		64	TW	O	48	SA	45,49,44,44,54	13B	
	180		64	TW	O	48	SA	36,54,41,74,51,	13B	
	180		64	TW	O	48	SA	52,50,56,72,63	13B	
	180		64	TW	O	48	SA	39,59,38,68,67	13B	
	180		64	TW	O	48	SA	71,90,68,49,53	13A	
	180		64	TW	O	48	SA	67,54,57,74,54,	13A	
MPY/O-1804	180		64	TW	O	48	SA	61,90,56,54,53	13A	
	180		64	TW	O	48	SA	57,69,73,71	13A	
	178			PW	O	40	ITAL	50,51,52,53,55,	17AA	
	178			PW	O	40	ITAL	54,54,50	17AA	
	175		T	PW	O	40	SW	200	17AA	
	180			PW	O	42	ITAL	12,66	19BB	
								<b>TOT-6,142</b>		
MPR-1804	180		55	TW	Deep Orange	42	SA	63,63,62,70,56,	21A&AA	
	180		55	TW	Deep Orange	42	SA	56,57,67,58,56,	21A&AA	
MPR-1804	180		55	TW	Deep Orange	42	SA	73,56,62,60,62,	21A&AA	
	180		55	TW	Deep Orange	42	SA	56,71,63	21A&AA	
	180		55	TW	Deep Orange	42	SA	69,56,55,70,57,	20A&AA	
	180		55	TW	Deep Orange	42	SA	56,56,68	20A&AA	
MPR-1804	180		55	TW	Deep Orange	42	SA	63,62,71,62,62,	20A&AA	
	180		55	TW	Deep Orange	42	SA	69,62,56,63	20A&AA	
	180		55	TW	Deep Orange	42	SA	68,70,76,71,68,	19A&AA	
	180		55	TW	Deep Orange	42	SA	63,71,84,71,57,	19A&AA	
MPR-1804	180		55	TW	Deep Orange	42	SA	62,68,63,70,64	19A&AA	
	180		55	TW	Deep Orange	42	SA	70,68	19A&AA	
	180		55	TW	Deep Orange	42	SA	38,52,91,69,61,	7A	
MPR-1804	180		55	TW	Deep Orange	42	SA	70,78,74,83,78,	7A	
	180		55	TW	Deep Orange	42	SA	68,70,81,65,74	7A	
	180		55	TW	Deep Orange	42	SA	,72,72,82	8A	
	180		55	TW	Deep Orange	42	SA	70,65,34,72	8A	
	180		55	TW	Deep Orange	42	SA	64,59,55,62	8A	
								<b>TOT-5,091</b>		
MPY/O-1608	163			PW	O	80	ITAL	3	18F	
								<b>TOT-3</b>		
MPY/O-1606	156		T	PW	O	60	SW	2	18D&DD	
								<b>TOT-2</b>		
MPY/O1605	160			PW	O	51	ITAL	54,45,54	18C	

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
	160			PW	O	51	ITAL	45,54,55,44	18C	
					O	51	ITAL	36	18C	
	160		M	PW	Y	52	SW	134	18C	
								<b>TOT-521</b>		
MPY/O-1604	160		M	PW	Y	42	SW	35,185	18B&BB	
	160		64(T)	PW	Y	46	SW	35	18B&BB	
	160			PW	O	40	ITAL	36,48,47,	18B&BB	
	150		T	PW	O	42	APAN	58,58,56,57	18B&BB	
	150		T	PW	O	42	APAN	58,57,46,57	18B&BB	
	150		T	PW	O	42	APAN	34,57,58,58,60	18B&BB	
	160		55(T)	PW	Y	45	LANO	57	18B&BB	
	163	LE	64	PW	Y	45	SW	60,60,60,60,60,	18CC	
	163	LE	64	PW	Y	45	SW	60	18CC	
	156		64	PW	Y	42	NY	21	18BB	
								<b>TOT-1,538</b>		
MPY/O-1408	140		64	PW	O	90	SA	67,48	17E	
	140			PW	O	80	ITAL	30,36,35	17E	
	137	LE	64	PW	Y	102	SW	52	17E	
	137	LE	64	PW	Y	83	SW	,60,60,28	17E	
	137	LE	64	PW	Y	83	SW	55,54	17E	
	140	LE	64	PW	O	88	SA	83,76,65	17EE	
								<b>TOT-749</b>		
MPY/O-1406	138			PW	A	60		5	17D	
	140			PW	O	62	ITAL	6	17D	
	140			PW	O	62	ITAL	2	17D	
	140		65	PW	O	60	SA	3	17D	
	137	LE	64	PW	Y	62	SW	3,12	17D	
	137		T	PW	O	60	SW	12	17D	INK MARKS
	140		64	PW	O	62	SA	19	17D	
	140		64	PW	O	72	SA	9	17D	
								<b>TOT-71</b>		
MPY/O-1405	137	LE	70	PW	Y	53	SW	28	17C	
	140			PW	O	51	ITAL	36,36,36,8	17C	
	140		65	PW	O	50	SA	35	17C	
	140		64	PW	O	55	FRE	43,47,47,46	17C	
								<b>TOT-362</b>		
MPY/O-1404	140			PW	O	42	ITAL	54,55,54,34,	17B&BB	
	140			PW	O	42	ITAL	60,58,49,55,58,	17B&BB	
	140			PW	O	42	ITAL	58,48,48,47	17B&BB	
	140			PW	O	42	ITAL	48,48,55,58,18,	17B&BB	
	140			PW	O	44		23	17BB	
	137		T	PW	O	42		6	17BB	
	140				O	45	STER	56	17B	
	140			PW	O	45	ITAL	57,55,56,56,52,	17B	
	140			PW	O	45	ITAL	5,5,57,12	17B	
	137		T	PW	O	40	SW	60,30	17B	
	137		64(T)	PW	Y	47	SW	50	17B	
	137	LE	64	PW	Y	45	SW	6	17B	
	137		T	PW	O	40	SW	60,33,33,30	16A	
	137		T	PW	Y	47	SW	12,20	16A	
	137		M	PW	Y	42	SW	285,22,	16A	
	140			PW	Y	40		103,3	16A	
	135		T	PW	A	46	APAN	54	16A	
	140		70	PW	O	44	SA	69,47,53,41,71	14B	
	140		70	PW	O	44	SA	70,70,71,69,54	14B	
	140		70	PW	O	44	SA	55,71,71	14BB	
								<b>TOT-2,959</b>		

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
MPY/O-1258	125		70	PW	O	83	SA	65,50	16E	
	124			PW	O	80	ITAL	56,10,6	16E	
	125	LE	M	PW	Y	83	SW	100	16E	
								TOT-287		
	124			PW	O	62	ITAL	0	16D	
								<b>TOT-0</b>		
MPY/O-1256										
	125			PW	O	55	ITAL	4,22	16C	
MPY/O-1255	125			PW	O	55	ITAL	13	16C	
	124			PW	O	51	ITAL	54,54,54	16C	
	124			PW	O	51	ITAL	52,55,20	16C	
	125			PW	O	51		45,82,68,67,43	3A	
	125			PW	O	51		52	3A	
								<b>TOT-685</b>		
	125		70	PW	O	40	SA	17	16B	
MPY/O-1254								<b>TOT-17</b>		
	110		80	PW	Y	80	SA	0	16EE	
MPY/O-1108								<b>TOT-0</b>		
MPY/O-1106	110		60	PW	O	64	SA	0	16DD	
								<b>TOT-0</b>		
	110			PW	O	54		0	16CC	
								<b>TOT-0</b>		
MPY/O-1105								0	16BB	
								<b>TOT-0</b>		
MPY/O-1104								0	N/A	
								<b>TOT-0</b>		
MPY/O-0868										
	86			PW	O	62		6	15D	
	96			PW	O	65	ACU	27	15D	
MPY/O-0866	92		T	PW	O	64	SW	13	15D	INK MARKS
								<b>TOT-46</b>		
MPY/O-0865	83	LE	100	PW	Y	53	SW	30,34,	15C	
	83	LE	100	PW	Y	53	SW	53,30,29,29,	15C	
	83	LE	100	PW	Y	53	SW	30,36,30,33	15C	
	92	LE	100	PW	Y	54	SW	30	15E	
	92	LE	90	PW	Y	53	SW	29	15C	
	81		120	PW	O	56	SA	28,16,31,65,72	15E	
	81		120	PW	O	56	SA	7	15E	
	86		100	PW	Y	55	ACU	10	15E	
	92		T	PW	O	59	SW	20	14C	INK MARKS
								<b>TOT-644</b>		
	92	LE	90	PW	Y	45	SW	61,60,61,28	15B	
	92	LE	90	PW	Y	45	SW	26,60,27	15B	
MPY/O-0864	92	LE	90	PW	Y	45	SW	30,30,27,5	15B	
	83		M	PW	Y	42	SW	170,15	16AA	
	86		100	PW	O	42	SA	72,65,60,60	15A	
	86		100	PW	O	42	SA	54,30	15A	
	86		100	PW	O	40	SA	5,51	15A	
	86		100	PW	O	40	SA	71,19,	16A	
								<b>TOT-1,088</b>		
	74		120	PW	Y	83	SA	82	14E	
								<b>TOT-82</b>		

**Mono-poly Y/O/A - YDS / BIN / PRICE**

MESH #	PER IN	LE	T DIA	TYPE	Y/O	WIDE	MFG	YDS	BIN	NOTES
MPY/O-0748										
	76		120(T)	PW	Y	60	SW	3	15EE	
								<b>TOT-3</b>		
MPY/O-0746										
	76		120(T)	PW	Y	52	SW	0	15CC	
MPY/O-0745								<b>TOT-0</b>		
MPY/O-0744	74			PW	O	42		30	15AA	
	74		120	PW	A	44	SA	20	15AA	
	74		120	PW	A	44	SA	14	15AA	
								<b>TOT-64</b>		
MPY/O-0608	60	LE	140	PW	Y	83	SW	210	12F	
	60	LE	140	PW	Y	83	SW	270,230,230	12E	
	60	LE	140	PW	Y	83	SW	174	12E	
								<b>TOT-1,114</b>		
MPY/O-0606	60		M	PW	Y	62	SW	15,20	12D	
								<b>TOT-35</b>		
MPY/O-0605	60		150	PW	Y	53	SW	60,59,60,60,60,	12C	
			150	PW	Y	53	SW	60	12C	
								<b>TOT-359</b>		
MPY/O-0604	61		120	PW	Y	47	SA	69,58,62,71,18,	12B	
	61		120	PW	Y	47	SA	9,8	12B	
	60		150	PW	Y	45/48	SW	60,60,60,60,60,	12B	
	60		M	PW	Y	42	SW	33,35	12B	
								<b>TOT-663</b>		